

INDEX MAPS.

T. 5 N. R. 9 E. 2nd Mer.

	⁷ / ₉	⁷ / ₈	⁶ / ₈	⁶ / ₈	⁶ / ₇	⁶ / ₇						
11	6	34	5	28	4	27	3	20	2	16	1	5
	33	33	27	23	19	15						
11	7	33	8	27	9	23	10	19	11	15	12	5
	32	32	26	23	18	15						
10	18	32	17	26	16	22	15	18	14	14	13	4
	31	31	26	22	18	14						
10	19	31	20	25	21	22	17	23	14	24	4	
	30	30	25	21	17	13						
9	30	29	29	25	28	21	27	17	26	13	25	4
	29	29	24	20	16	12						
9	31	28	32	24	33	20	34	16	35	12	36	3
	2	1	1	1	1	1						
		2	2	3	3	3						

T. 6 N. R. 9 E. 2nd Mer.

	⁶¹ 42		⁴¹ 42		²¹ 42		⁴¹ 42		⁴⁰ 42		⁴⁰ 43	
45	6	67	5	62	4	58	3	54	2	50	1	40
	67		67		61		57		53		49	
45	7	66	8	61	9	57	10	53	11	49	12	39
	66		65		61		57		53		49	
44	18	65	17	60	16	56	15	52	14	48	13	39
	65		64		60		56		52		48	
44	19	64	20	60	21	55	22	51	23	47	24	39
	64		63		59		55		51		47	
43	30	63	29	58	28	55	27	51	26	47	25	38
	63		62		59		54		50		46	
43	31	62	32	58	33	54	34	50	35	46	36	38
	36		35		35		35		35		35	
	37		37		37		37		36		36	

The figures on the lines refer to the page.

1

Township N. 5 North, Range N. 9 East 2. Mer. Indiana
ch. lks.

South Boundary

West On Rand^m. S. boundary of Sec. 36
40.00 Let temp^y. q^r. Sec. post
46.00 a Brook 5 lks. wide Course S.
57.00 a Creek 40 lks. wide C.P. N.W. kept down it.
61.00 a Brook — " " " S.W.
71.00 a do. — " " " N.W.
80.00 Let temp^y. Cor. to Sec. 35 & 36
Sect Beech land

West On Rand^m. S. boundary of Sec. 35
40.00 Let temp^y. q^r. Sec. post
80.00 Let temp^y. Cor. to Sec. 34 & 35
generally good land, timber Oak, Ash &c.

West On Rand^m. S. boundary of Sec. 34
7.00 a Creek 50 lks. wide Course S.W.
40.00 Let temp^y. q^r. Sec. post
42.00 a Brook 3 lks. wide Course S.
63.00 a do. 3 " " " S.W.
75.00 a do. 3 " " " S.
80.00 Let temp^y. Cor. to Sec. 33 & 34
Land level & rich, timber Sugar, Ash, Beech
Poplar &c.

West On Rand^m. S. boundary of Sec. 33
14.00 a Brook 3 lks. wide Course S.
40.00 Let temp^y. q^r. Sec. post
54.00 a Creek 100 lks. wide Course S.E.
80.00 Let temp^y. Cor. to Sec. 33 & 32
Generally rich land, timbered with Sugar,
Beech, Poplar &c.

West On Rand^m. S. boundary of Sec. 32
40.00 Let temp^y. q^r. Sec. post
68.00 a Brook 4 lks. wide Course N.W.

2

S. N. R. G. 2^d. Mer. Indiana

ch. 4. 1/2

80.00 Let temp. Cor. to Sec. 31 & 32
Level Beech land

West On Rand^m. S. boundary of Sec. 31

10.00 a Brook 10 1/2 m. wide Course S. W.

40.00 Let temp. q. Sec. post

79.50 Intersected the N & S. line 230 m. S. of the Cor.
to Township 4 & 5 North, Range 8 & 9 East
Level Beech land.

True Line.

September 10th 1876. var. 5.50' E

East On S. boundary of Sec. 31

* 39.75 Let q. Sec. post, from which
a Hickory 12 m. dist. by N 66 E 32 " dist. of
a do. 12 " " " N 66 E 32 " "

* This q. Sec. post should be established at 40.00
from the Cor. to Sec. 31 & 32 agreeably to law. (S. M.)

79.50 Let post Cor. to Sec. 31 & 32, from which
a Beech 18 m. dist. by N 63 E 27 1/2 m. dist. of
a do. 6 " " " N 19 W 16 " "

East On S. boundary of Sec. 32

40.00 Let q. Sec. post, from which
a Beech 12 1/2 m. dist. by N 56 E 14 m. dist. of
a do. 18 " " " N 56 W 28 " "

80.00 Let post Cor. to Sec. 32 & 33, from which
a Beech 10 m. dist. by N 30 E 15 m. dist. of
a do. 10 " " " N 27 W 22 " "

East On S. boundary of Sec. 33

40.00 Let q. Sec. post from which
a Sugar 12 m. dist. by N 30 E 35 m. dist. of
a Poplar 24 " " " N 20 W 54 " "

80.00 Let post Cor. to Sec. 33 & 34, from which
a Beech 12 m. dist. by N 45 E 3 m. dist. of

3

S. N. R. & E. 2^d. Mer. Indiana
ch. 6th a Beech 24 in. dia. bear S 45 W 38 lks. dist. of

East On S. boundary of Sec. 34
40.00 Let q^r. Sec. post, from which
a Beech 30 in. dia. bear S 38 W 12 lks. dist. of
a Do. 24 " " " N 50 W 40 " "
80.00 Let post Cor. to Sec. 34 of 35, from which
a Beech 12 in. dia. bear N 37 E 4 lks. dist. of
a Walnut 24 " " " S 26 W 28 " "

East On S. boundary of Sec. 35
40.00 Let q^r. Sec. post, from which
an Oak 24 in. dia. bear N 75 E 5 lks. dist. of
a Beech 12 " " " S 3 E 11 " "
80.00 Let post Cor. to Sec. 35 of 36, from which
a Beech 18 in. dia. bear N 39 E 5 lks. dist. of
a Sugar 24 " " " N 71 W 19 " "

East On S. boundary of Sec. 36
40.00 Let q^r. Sec. post, from which a
Gum 14 in. dia. bear N 43 E 20 lks. dist. of
a Beech 24 " " " South 24 " "
80.00 to the Township Corner
Alexander Holmes, L. S.

East Boundary var. 5° 30' E

North On E. boundary of Sec. 36
16.08 a Brook 12 lks. wide Course S. W.
32.15 a Hickory 20 in. dia.
40.00 Let q^r. Sec. post, from which
a Beech 6 in. dia. bear N 50 E 4 lks. dist. of
a Do. 6 " " " S 58 W 11 " "
54.93 a B. Gum 24 " "
54.70 a Beech 26 " "
80.00 Let post Cor. to Sec. 25 of 36, from which
a Beech 6 in. dia. bear N 66 E 16 lks. dist. of

4

S 5 N - N 9 E. 2nd Mer. Indiana
ch. lth

at Beech 5 in. dia. bray N 89 W 13 lth. dist. of
Land flat, timber Beech, Oak, Gum &c.

North On E. boundary of Sec. 25

15.00 a Brook 15 lth. wide Course N. W.

23.45 a Beech 12 in. dia.

33.30 a Brook 5 lth. wide Course W.

40.00 Let of. Sec. post, from which
a Gum 14 in. dia. bray N 58 E 25 lth. dist. of
a Beech 2 " " " N 81 W 12 " "

42.17 Hickory 11 " "

53.68 a Do. 24 " "

63.30 a Creek 40 lth. wide runs west

78.17 a Beech 15 in. dia.

80.00 Let post cor. to Sec. 24 & 25, from which
an Ash 13 in. dia. bray N 24 W 11 lth. dist. of
a Beech 16 " " " N 85 E 26 " "
Land level timber Beech, Oak, Hickory Ash &c.

North On E. boundary of Sec. 24

17.43 a Beech 12 in. dia.

21.85 a Brook 5 lth. wide Course W.

27.54 a Poplar 36 in. dia.

40.00 Let of. Sec. post, from which
a Beech 16 in. dia. bray S 7 W 14 lth. dist. of
a Do. 11 " " " N 51 E 12 " "

42.70 an Ash 22 " "

44.50 a Brook 10 lth. wide Course S 10 W

64.10 a Beech 14 in. dia.

80.00 Let post cor. to Sec. 13 & 24, from which
a Gum 8 in. dia. bray N 10 W 10 lth. dist. of
a W. Oak 6 " " " S 7 W 19 " "
Land level, timber Beech, Oak, Ash, Poplar &c.

North On E. boundary of Sec. 13

4.45 a W. Oak 22 in. dia.

5

T5 N R9 E. 2^d Mer. Indiana

ch. 1st 1/4

- 18.04 a Brook 4th. wide Course S. W.
 19.85 a W. Oak 18 in. dia.
 40.00 Let of Sec. post, from which
 a Beech 22 in. dia. bray N 75 E 21th. dist. of
 a do. 12 " " " S 8 W 8 " "
 51.74 a Beech 20 " "
 73.58 a Blk. Gum 24 in. dia.
 80.00 Let post Cor. to Sec. 12 of 13, from which
 a Beech 12 in. dia. bray N 10 E 15th. dist. of
 a do. 13 " " " S 3 E 14 "
 Land flat, timber Beech, Oak, Poplar &c.

North On E. boundary of Sec. 12

- 4.61 a Beech 15 in. dia.
 12.72 a W. Oak 44 " "
 26.70 a Beech 22 " "
 40.00 Let of Sec. post, from which
 a Beech 18 in. dia. bray N 28 W 25th. dist. of
 a do. 9 " " " S 85 E 23 " "
 40.70 a Creek 40th. wide Course W. a quarry of Stone or Marble
 46.66 a Beech 22 in. dia.
 47.79 a do. 24 " "
 63.52 a do. 20 " "
 75.60 a Brook 4th. wide Course W.
 80.00 Let post Cor. to Sec. 11 of 12, from which
 a Beech 22 in. dia. bray N 79 E 22th. dist. of
 a do. 19 " " " S 9 W 21 " "
 Land level, timber Beech, Ash, Poplar, Hickory, Oak &c.

North On E. boundary of Sec. 1

- 4.00 a Brook 30th. wide Course S. W.
 16.15 a do. 3 " " " S. E.
 16.77 a Beech 20 in. dia.
 22.72 an Ash 14 " "
 31.68 a W. Oak 24 " "
 40.00 Let of Sec. post, from which

6.

Ch. 43

North Pompanoy. Nov. 4th 1876

West On Rand^m S. boundary of Sec. 35, T6N, R9E

Nest On Run^gm. S. boundary of Sec. 34, T6N. R9E.

West On Rand^m, S. boundary of Sec. 33, T6N, R9E

7

T5 N R9 E. 2nd Mer. Indiana

Ch. Lk.
 40.00 Let temp. q^r. Sec. post
 44.25 a Beech 8 lks. wide Cr. S. W.
 78.00 a Do 10 " " " S.
 80.00 Let temp. Cor. to Sec. 32 & 33
 Land timber &c. same as on the last mile

West On Rand. S. boundary of Sec. 32, T6 N. R9 E.
 40.00 Let temp. q^r. Sec. post
 80.00 Let temp. Cor. to Sec. 31 & 32
 Land level, timber Beech, Oak, Ash, Poplar, Gum &c.

West On S. boundary of Sec. 31, T6 N. R9 E, Random
 2.50 a Brook 8 lks. wide Cr. N. W.
 8.20 a Do. 4 " " " N. E.
 40.00 Let temp. q^r. Sec. post
 53.50 a Brook 4 lks. wide Cr. S.
 68.62 full 436 lks. North of where the line run by Mr.
 Lison intersects an E. & N. line run by Mr. Holmes
 Land gently ascending & descending, timber
 Beech, Oak, Sugar, Poplar &c. Nov. 5th 1886

True Line.

West On S. boundary of Sec. 36, T6 N. R9 E.
 3.95 a Beech 38 in. dia.
 35.80 an Ash 12 " "
 40.00 Let q^r. Sec. post, from which
 a Beech 10 in. dia. Cray 170 E 10 lks. dist. of
 an Ash 5 " " " 1889 19 " "
 44.23 an Ash 22 " "
 64.96 a Beech 12 " "
 68.40 a Beech 18 " "
 74.95 a Sweet Gum 27 " "
 80.00 Let post Cor. to Sec. 35 & 36, T6 N. R9 E, from which
 a Beech 11 in. dia. Cray N 27 W 8 lks. dist. of
 a Do. 34 " " " 1169 14 " "

West On S. boundary of Sec. 35, T6 N. R9 E.

T5 N. R9 E. 2^d Mer. Indiana

ch. lks.

- 16.60 a Beech 20 mi. dist.
 27.14 a W. Oak 48 " "
 34.43 a Beech 20 " "
 40.00 Set of Sec. post, from which
 a Beech 13 mi. dist. by N 50 W 11 lks. dist. of
 a Do. 6 " " " S 17 W 5 " "
 62.00 a Beech 15 " "
 68.68 a Poplar 56 " "
 80.00 Set post Cor. to Sec. 34, 35, T6 N. R9 E, from which
 a Beech 15 mi. dist. by N 24 E 7 lks. dist. of
 a Do. 7 " " " S 25 E 7 " "
-

West On S. boundary of Sec. 34, T6 N. R9 E.

- 20.00 a Beech 20 mi. dist.
 40.00 Set of Sec. post, from which
 a Beech 12 mi. dist. by N 65 E 30 lks. dist. of
 an Elm 8 " " " S 67 1/2 W 16 " "
 80.00 Set post Cor. to Sec. 33, 34, T6 N. R9 E, from which
 a Beech 12 mi. dist. by N 82 1/2 W 28 lks. dist. of
 an Elm 20 " " " S 85 E 40 " "
-

West On S. boundary of Sec. 33, T6 N. R9 E.

- 21.00 a Beech 20 mi. dist.
 40.00 Set of Sec. post, from which
 a Beech 18 mi. dist. by North 21 lks. dist. of
 a Do. 15 " " " S 51 1/2 W 10 " "
 80.00 Set post Cor. to Sec. 32, 33, T6 N. R9 E, from which
 a Beech 16 mi. dist. by N 66 W 3 lks. dist. of
 a Do. 8 " " " S 74 E 21 " "
-

West On S. boundary of Sec. 32, T6 N. R9 E.

- 40.00 Set of Sec. post, from which
 a W. Oak 24 mi. dist. by N 47 E 22 lks. dist. of
 a Do. 13 " " " S 67 1/2 W 13 " "
 80.00 Set post Cor. to Sec. 31, 32, T6 N. R9 E, from which
 a Beech 16 mi. dist. by East 9 lks. dist. of

5 N 129 E. 2^d. Mer. Indiana

9

ch. lks

a Beech 13 mi. dist. bearing S 62° W 32 lks. dist.

West On S. boundary of Sec. 31, 56 N. 129 E.

35.00 a Brook 10 lks. wide Course with the line

40.00 Set of Sec. post, from which

a Beech 13 mi. dist. bearing S 67° W 8 lks. dist. of

a Dogw. 5 " " " S 51° E 6 "

68.64 Set post Cor. to Township 5 of 6 North Range
8 of 9 East, from which

a Beech 8 mi. dist. bearing N 67° E 6 lks. dist. of

a Do. 16 " " " S 21° E 12 " "

water Course continues N. of the line running N 85° W

November 6th. 1806

Surveyed By
John Brownson
Deputy Surveyor

West Boundary

November 3rd. 1806, Variation 5° 25' E

North On E. boundary of Sec. 36, 55 N. 128 E.

31.33 a Beech 12 mi. dist.

40.00 Set of Sec. post, from which

a Beech 8 mi. dist. bearing N 74½° E 21 lks. dist. of

a Do. 16 " " " S 31½° W 10 " "

58.50 a Creek 50 lks. wide Course S. W. now dry

61.04 a Sugar 11 mi. dist.

80.00 Set post Cor. to Sec. 25 of 36, 55 N. 128 E, from which

a Beech 15 mi. dist. bearing S 87° E 37 lks. dist. of

a Sugar 18 " " " S 60° W 32 " "

First ½ mile over level 2^d. rate land, rather wet
in the Spring last ½ mile over rolling land, the
greatest of the timber fallen down, and a thick
undergrowth of Spice, good farming land

North On E. boundary of Sec. 25, 55 N. 128 E

22.66 a Beech 12 mi. dist.

T5 St. R9 E. 2^d. Mer. IndianaChth

40.00 Set of Sec. post, from which
a Beech 18 in. dia. bray N42 E 7 1/2 m. dist. of
a Do. 6 " " " N43 W 9 " "

61.50 a Small dry branch Cr. W.

63.42 a Beech 5 in. dia.

80.00 Set post Cor. to Sec. 24 & 25, T5 N. R8 E, from which
a Beech 12 in. dia. bray West 1 3/4 m. dist. of
a Do. 11 " " " S63 W 27 " "

The 1st 1/2 mile Over flat land, timber principally
Beech - the last 1/2 mile rolling fallen timber
in general very thick underg^d. Spruce, birch &c
Middleling farming land.

North On E. boundary of Sec. 24, T5 St. R8 E.

21.00 a Small dry brook 10 m. wide Cr. W

27.71 a Poplar 48 in. dia.

40.00 Set of Sec. post from which
a Beech 15 in. dia. bray S35 W 11 m. dist. of
a Do. 24 " " " N42 E 23 " "

68.97 a Beech 18 " "

79.00 a Creek 40 m. wide Course W.

80.00 Set post Cor. to Sec. 13 & 24, T5 N. R8 E, from which
a Beech 15 in. dia. bray N72 1/2 E 11 m. dist. of
an Elm 18 " " " N43 W 5 " "

Over rolling 2nd rate land, timber principally
Beech, underg^d. Spruce, dogwood & greenbrier
the last 1/2 mile good farming land

North On E. boundary of Sec. 13, T5 N. R8 E

22.30 a Poplar 20 in. dia.

40.00 Set of Sec. post, from which
a Beech 15 in. dia. bray N43 W 22 m. dist. of
a Do. 15 " " " S15 E 9 " "

43.00 a Creek 50 m. wide Course W.

60.14 a Beech 8 in. dia.

80.00 Set post Cor. to Sec. 12 & 13, T5 N. R8 E, from which

11

T5N R9E. 2^d Mer. Indiana

ch. l. l. l.

a Beech 6 in. diam. bray N 20 E 28 l. h. dist. of
 a Do. 6 " " " " 14 7 W 12 " "
 Over rolling 2^d rate land, timber principally
 Beech, some poplar & Gum, undergrowth
 Spice, good farming land

North On E. boundary of Sec. 12, T5N. R8E.

27.50 a dry branch 10 l. h. wide Course W.

40.00 Set of Sec. post, from which
 a W. Oak 18 in. diam. bray S 39 W 10 l. h. dist. of
 a Beech 6 " " " " 166 E 8 " "

63.20 a Beech 24 " "

80.00 Set post Cor. to Sec. 1 & 12, T5N. R8E, from which
 a Beech 11 in. diam. bray N 23 W 18 l. h. dist. of
 a Do. 24 " " " " 123 E 34 " "
 Over level 2^d rate land, timber Beech, Poplar,
 Gum &c. principally good farming land

North On E. boundary of Sec. 1, T5N. R8E.

27.55 a Beech 15 in. diam.

40.00 Set of Sec. post, from which
 a Poplar 30 in. diam. bray S 6 1/2 E 22 l. h. dist. of
 a Beech 13 " " " " N 12 W 18 " "

65.43 a Beech 18 " "

79.50 Intersected the E & W. line 72 l. h. West of
 Town Corner. (For the bearing trees at this corner
 see Brownson's notes of the N. boundary)
 (description &c. Omitted)

Surveyed in 1806, By

James Tisson

Deputy Surveyor

Subdivision.

I John Thirk do solemnly swear in the
 presence of Almighty God, that in all mea-
 -surements and surveys, in which I shall be

Comp.

5 N - R9 E. 2^d. Mer. Indiana
ch. lly

employed as a chain Carrier, that I will
faithfully & impartially execute the trust
reposed in me, So help me God

John Shirk

Sworn and subscribed before me this 21st.
day of October 1806. James Lissow,
Deputy Surveyor

I James Lissow Sur^r do solemnly swear
in the presence of Almighty God, that in
all measurements and surveys in which I
shall be employed as a Chain Carrier, that
I will faithfully and impartially execute the
trust reposed in me, So help me God.

James Lissow Sur^r.

Sworn and subscribed before me this 21st.
day of Oct. 1806. James Lissow,
Deputy Surveyor

November 4th 1806.

North & Between Sec^s. 35 & 36

27.50 a Beech 15 in. dia^r.

40.00 Set of^r. Sec. post, from which

a Beech 24 in. dia^r. bray N 89 E 24 lks. dist. of

a do 8 " " " S 56 W 23 " "

60.74 a Beech 18 " "

80.00 Set post Cor. to Sec^s. 25, 26, 35 & 36, from which

a Beech 9 in. dia^r. bray N 81 E 6 lks. dist. of

a do 18 " " " S 59 W 39 " "

Over rolling land, the first half mile - the last
half level the principal timber is Beech, some
Poplar, Gum, Oak, Sugar &c. undr^g.^t. Price
good farming land.

East On Road^m. between Sec^s. 25 & 36

40.00 Set temp^y. of^r. Sec. post

S. N. R. 9 E. 2^d. After Indiana

ch^d. lth

79.22 Intersected E. boundary 164 lth. S. of post
Over level 2^d. rate land, the principal timb.
is Beech, some Gum, Oak, Ash &c.
Middle, farming land.

West Corrected between Sec^s. 25 & 26

39.61 Let q^r. Sec. post, at average dist. from which
a Beech 13 in. dia^r. bray N 67 E 20 lth. dist. of
a Do. 17 " " " N 60 W 7 " "
79.22 to Sec. Corner. Nov. 5th. 1876

North Between Sec^s. 25 & 26

27.55 a Log 7 in. dia^r.

28.00 a dry Creek 30 lth. wide Course W

40.00 Let q^r. Sec. post, from which
an Ironwood 9 in. dia^r. bray S 60 E 12 lth. dist. of
a Dogwood 7 " " " N 43 1/2 W 19 " "

41.00 a Creek 100 lth. wide Course N. W.

65.57 a Beech 30 in. dia^r.

80.00 Let post Cor. to Sec^s. 23, 24, 25 & 26, from which
a Beech 18 in. dia^r. bray S 0 1/2 W 45 lth. dist. of
a Do. 14 " " " N 19 W 25 " "
Over rolling 2^d. rate land, timber same
underg^g. price, good farming land

East On Rand^m, between Sec^s. 24 & 25

33.75 a small brook Course S.

40.00 Let temp^y. q^r. Sec. post

58.00 to the N. side of a Creek 100 lth. wide Course
S. W. nearly dry

79.54 Intersected the N. & S. line 154 lth. S. of post
Land timber &c. same as on the last mile

West Corrected between Sec^s. 24 & 25

39.77 Let q^r. Sec. post at average dist. from which
a B. Ash 13 in. dia^r. bray S 17 W 14 lth. dist. of

S 5 N R 9 E. 2^d. Mer. Indiana
 ch. 1st l^y a Hickory 11 in. dia. bray N 83 $\frac{1}{2}$ W 32 l^y. dist.
 79.54 to Sec. Corner

North Between Sec. 23 & 24

21.26 a Beech 13 in. dia.

40.00 Set q^r. Sec. post, from which
 a Beech 12 in. dia. bears S 5 W 21 l^y. dist. 4
 a Do. 18 " " " N 39 W 29 " "

66.53 a Beech 12 " "

80.00 Set post Cor. to Sec. 13, 14, 23 & 24, from which
 a Beech 12 in. dia. bears S 28 E 18 l^y. dist. 4
 a Do. 10 " " " N 41 W 19 " "

Over flat land 2^d. rate timber same middling farming
 Land no undergrowth

East On Random between Sec. 13 & 24

40.00 Set temp^y. q^r. Sec. post

79.79 Intersected the E. boundary 200 l^y. S. of post
 Over level Land 2^d. rate timber same good farming land

West Corrected between Sec. 13 & 24

39.89 Set q^r. Sec. post, at average dist. from which
 a B. Gum 16 in. dia. bears N 71 E 2 l^y. dist. 4
 a Beech 7 " " " S 52 $\frac{1}{2}$ W 24 " "

79.79 to Section Corner

North Between Sec. 13 & 14

19.50 a Beech 10 in. dia.

40.00 Set q^r. Sec. post, from which
 a Beech 12 in. dia. bears S 2 E 11 l^y. dist. 4
 a Do. 10 " " " N 20 W 25 " "

40.50 a dry branch 10 l^y. wide Course W.

44.00 a dry Do. 12 " " " S. W.

64.60 a Beech 12 in. dia.

80.00 Set post Cor. to Sec. 11, 12, 13 & 14, from which
 a Beech 15 in. dia. bears N 50 E 26 l^y. dist. 4

15

S. N. N. E. 2nd Mer. Indiana

Ch. P. 114

a Beech 12 in. dia. bears S 48 N 22 lbs. dist.
over level land 2nd rate timber same good farming
Land undergrowth Spice -

East On Prandom between Sec. 12 & 13

40.00 Set temp. q. Sec. post.

79.80 Intersected the E. boundary 175 lbs. S. of post
Land timber undergrowth same as last mile.

West Corrected between Sec. 12 & 13

39.90 Set q. Sec. post, at average dist. from which
a W. Oak — in. dia. bears S 2 N 18 lbs. dist. &
a Beech — " " " N 42 N 29 " "

79.80 to Section Corner

North Between Sec. 11 & 12.

23.00 a Creek 100 lbs. wide Course S. W.

28.55 a W. Oak 2 1/2 in. dia.

40.00 Set q. Sec. post, from which
a Sugar 10 in. dia. bears S 65 1/2 E 9 lbs. dist. &
a No. 15 " " " N 72 1/2 W 28 " "

61.19 a Beech 12 " "

80.00 Set post Cor. to Sec. 1, 2, 11 & 12, from which
a Sapafas 15 in. dia. bears S 42 1/2 E 9 lbs. dist. &
a Beech 13 " " " N 42 1/2 W 36 " "
Land & timber same as last mile

East On Prandom between Sec. 1 & 12 variation 7° 50' E.

30.75 a Creek 20 lbs. wide course S.

40.00 Set temp. q. Sec. post

65.75 a Small dry branch course S.

77.57 a Creek 20 lbs. wide Course S. W.

81.19 Intersected the E. boundary 1.05 lbs. S. of post
over rolling Land 2nd rate timber same good for
farming no undergrowth

T5 N R9 E. 2nd Mer. Indiana

Chs. lks

West Corrected between Sec. 1 & 12

40.59 Set q. Sec. post, at average dist. from which
 a Beech 15 in. dia. bears S 20 E 6 lks. dist. &
 a No. 12 " " " N 26 W 29 " "

81.19 to Section Corner

North Between Sec. 1 & 2.

28.72 a Beech 8 in. dia.

40.00 Set q. Sec. post, from which
 a W. Oak 48 in. dia. bears N 14 W 8 lks. dist. &
 a Beech 7 " " " S 63 1/2 E 23 " "

64.59 a No. 8 " "

84.46 Intersected the N. boundary 74 lks. E. of post
 Set post Cor. to Sec. 1 & 2, from which
 a Beech 12 in. dia. bears S 81 W 28 lks. dist. &
 a No. 8 " " " S 1 E 20 " "

Over level Land 2nd rate timber some good farming land

North Between Sec. 34 & 35

9.00 a dry Creek 50 lks. wide Course S. W.

25.17 a Beech 6 in. dia.

40.00 Set q. Sec. post, from which
 a Sugar 7 in. dia. bears S 38 W 19 lks. dist. &
 a Poplar 24 " " " N 44 1/2 E 46 " "

58.00 a Beech 18 " "

80.00 Set a post Cor. to Sec. 26, 27, 34, & 35, from which
 a Beech 12 in. dia. bears N 42 1/2 W 23 lks. dist. &
 a No. 24 " " " S 81 E 26 " "

Over rolling land 2nd rate Beech Sugar Ash &c.
 undergrowth Spice good farming Land

East On Prandon between Sec. 26 & 35

34.00 a Creek 70 lks. wide Course S. W.

40.00 Set temp. q. Sec. post

79.89 Intersected the N. & S. line 28 lks. N. of post
 Land and timber the same

17

St. R. & E. 2nd Mer. Indiana

ch. l. h.

West Connected between Sec. 26 & 35

39.94 Set of. Sec. post. at average dist. from which
a Beech 12 in. dia. bears S 58 $\frac{1}{2}$ W 29 lbs. dist. 4
a Sugar 24 " " " N 23 E 23 " "

79.89 to Section Corner

North Between Sec. 26 & 27

31.44 a Beech 11 in. dia.

38.50 a Creek 50 lbs. wide Course S. W.

40.00 Set of. Sec. post. from which
a Beech 12 in. dia. bears S 62 E 32 lbs. dist. 4
a No. 12 " " " N 32 W 34 " "

60.27 a No. 8 " "

80.00 Set post Cor. to Sec. 22, 23, 26, & 27, from which
a Beech 18 in. dia. bears N 76 W 20 lbs. dist. 4
a No. 18 " " " S 35 E 25 " "
Over rolling Land 2nd rate timber Same as last.
good for farming—

East On Random between Sec. 23 & 26

31.00 a dry branch 10 lbs. wide Course N. W.

40.00 Set Temp. of. Sec. post

78.84 Intersected the N. & S. line 30 lbs. N. of post.
Land and timber the Same as last mile—

West Connected between Sec. 23 & 26

39.42 Set of. Sec. post. at average dist. from which
a Beech 12 in. dia. bears S 48 W 2 lbs. dist. 4
a No. 12 " " " N 15 E 21 " "

78.84 to Section Corner

November 8th 1886

North Between Sec. 22 & 23

20.64 a Beech 20 in. dia.

40.00 Set of. Sec. post. from which
a Beech 18 in. dia. bears N 79 E 16 lbs. dist. 4

T5 N R9 E. 2nd Mer. Indiana

Ch. lky

- a Beech 5 in. dia. bears S 4 & 9 lks. dist.
 65.50 a Creek 100 lks. wide course W.
 71.41 a Beech 10 in. dia.
 81.00 Set post Cor. to Secs. 14, 15, 22 & 23, from which
 a Beech 15 in. dia. bears N 20 E 22 lks. dist. &
 a No. 13 " " " S 48 W 34 " "
 Land timber &c. Same as on last mile

East On Random between Secs. 14 & 23

- 15.50 a Creek 100 lks. wide Course S.
 44.00 Set temp. q. Sec. post
 79.17 Intersected the N. & S. line 6 lks. N. of post.
 Over 2nd rate land rather rolling timber Beech
 Poplar, Ash, Gum &c. good farming Land

West Connected between Secs. 14 & 23

- 39.58 Set q. Sec. post, at average dist. from which
 a Beech 20 in. dia. bears N 31 1/2 E 6 lks. dist. &
 a No. 8 " " " S 35 W 21 " "
 79.17 to Section Corner

North Between Secs. 14 & 15

- 23.94 a Beech 16 in. dia.
 40.00 Set q. Sec. post, from which
 a Beech 6 in. dia. bears S 52 1/2 W 20 lks. dist. &
 a No. 18 " " " N 67 E 10 " "
 60.17 a Beech 18 " "
 80.00 Set post Cor. to Secs. 10, 11, 14 & 15, from which
 a Sugar 24 in. dia. bears S 86 W 15 lks. dist. &
 a No. 20 " " " N 42 E 39 " "
 Over rolling land 2nd rate good farming land
 timber Beech Poplar Sugar undergrowth Spice
 and pawpaw &c.

East On Random between Secs. 11 & 14

- 17.00 a Small branch Course South

19

S. N. R. G. E. 2nd Mer. Indiana

Ch. L. 167

- 34.00 a Creek 100 lks. wide Course South
 40.00 Set temp. g. of Sec. post
 79.10 Intersected the N. & S. line 50 lks. S. of post
 over rolling land 2nd rate timber same good for
 farming no undergrowth -

West Corrected between Sec. 11 & 14

- 39.55 Set g. of Sec. post, at average dist. from which
 a Beech 30 in. dia. bears N 68 E 29 lks. dist. &
 a No. 7 " " " S 72 1/2 W 11 " "
 79.10 to Section Corner

North Between Sec. 10 & 11

- 22.73 a Beech 12 in. dia.
 40.00 Set g. of Sec. post, from which
 a Beech 24 in. dia. bears S 5 W 32 lks. dist. &
 a No. 15 " " " N 13 E 46 " "
 63.42 a Beech 12 " "
 80.00 Set a post Cor. to Sec. 2, 3, 10 & 11, from which
 a Beech 20 in. dia. bears S 37 E 14 lks. dist. &
 a No. 12 " " " N 54 1/2 W 16 " "
 Over level land 2nd rate timber Beech undergrowth
 Spice Dogwood good farming Land

East On Random between Sec. 2 & 11

- 40.00 Set temp. g. of Sec. post
 77.90 Intersected the N. & S. line 50 lks. S. of post
 Over level flat land wet in the Spring timber Beech
 Gum Maple &c. not very good for farming -

West Corrected between Sec. 2 & 11

- 38.95 Set g. of Sec. post, at average dist. from which
 a Beech 14 in. dia. bears S 2 W 27 lks. dist. &
 a No. 18 " " " N 74 W 24 " "
 77.90 to Section Corner

St. Regis Co. 2nd Mer. Indiana

ch. P. 114

North Between Secs. 2 & 3.

7.50 a Creek 10 lbs. wide Course N. W

26.10 a Poplar 36 in. dia.

40.00 Set q. Sec. post, from which

a Beech 14 in. dia. bears N 84 $\frac{1}{2}$ E 18 lbs. dist. &a No. 6 " " " S 33 $\frac{1}{2}$ W 28 " "

62.80 a Beech 5 " "

75.50 a Creek 30 lbs. wide Course W.

84.60 Intersected the N. boundary 123 lbs. E. of post

Set post Cor. to Secs. 2 & 3, from which

a Beech 9 in. dia. bears N 32 W 6 lbs. dist. &

a No. 10 " " " S 35 E 23 " "

Over level land 2nd rate timber Beech Poplar
 Sugar Gum & not much undergrowth Some Spice
 dogwood middling farming land -

November 9th 1806

North Between Secs. 33 & 34

31.54 a Beech 8 in. dia.

40.00 Set q. Sec. post, from which

a Beech 16 in. dia. bears S 40 W 43 lbs. dist. &

a No. 24 " " " N 1 W 22 " "

57.00 a Creek 40 lbs. wide Course W.

61.60 a Beech 15 in. dia.

80.00 Set a post Cor. to Secs. 27, 28, 33 & 34, from which

a Sugar 10 in. dia. bears N 66 E 13 lbs. dist. &

a No. 5 " " " N 70 W 23 " "

Over rolling land 2nd rate the principal timber
 Beech and Sugar the last half mile excellent
 farming Land

East On Randon between Secs. 27 & 34

40.00 Set temp. q. Sec. post

52.00 a Creek 50 lbs. wide Course S. W. rapid

79.50 Intersected the N. & S. line at the post

Over rolling land 2nd rate timber Beech, Poplar,

St. Rge. T. Mer. Indiana 21 ch. 1/4

Sugar middling farming Land undergrowth
Spice briars & Dogwood

West Corrected between Sect. 27 & 34
39.75 Set q. Sec. post, at average dist. from which
a Maple 12 in. dia. bears S 45 W 19 lbs. dist. &
a Do. 10 " " " N 31 1/2 E 10 " "
79.50 to Section Corner

North Between Sect. 27 & 28
13.50 a Creek 70 lbs. wide Course S. W.
25.50 up the Creek -
30.00 a Small Stream Course West
40.00 Set q. Sec. post, from which
a Beech 9 in. dia. bears N 44 W 9 lbs. dist. &
a Sugar 9 " " " S 65 E 26 " "
61.00 a Small Stream of water Course W.
66.75 a Beech 15 in. dia.
80.00 Set post Cor. to Sect. 21, 22, 27 & 28, from which
a Beech 15 in. dia. bears N 80 E 16 lbs. dist. &
a Do. 6 " " " S 62 W 14 " "
over rolling Land a good 2nd rate the principal
timber is Sugar, Beech, Poplar &c. thick Spice
undergrowth good farming land.

East On Brandon between Sect. 22 & 27
40.00 Set temp. q. Sec. post
79.50 Intersected the N. & S. line 70 lbs. S. of post
over 2nd rate land the first half mile rather
rolling the last level thin Soil the principal
timber is Beech some Ash Poplar Maple
& very thick undergrowth not very good farming L.

West Corrected between Sect. 22 & 27
39.75 Set q. Sec. post, at average dist. from which
a Beech 10 in. dia. bears S 59 E 17 lbs. dist. &

22

S. N. R. G. 2^d. Mer. Indiana

ch. 14

a Beech 10 in. dia. bears N 7 W 2 1/4 lbs. dist. 4
 79.50 to Section Corner

North Between Sec. 21 & 22.

28.50 a Creek 100 lbs. wide Course S. W.

40.00 Set q. Sec. post, from which

a Beech 10 in. dia. bears S 31 W 2 1/4 lbs. dist. 8

a Sugar 12 " " " N 9 1/2 E 12 " "

58.44 a No 13 " "

60.12 a Beech 18 " "

80.00 Set post Cor. to Sec. 15, 16, 21 & 22, from which

an Elm 12 in. dia. bears S 20 E 12 lbs. dist. 4

a Beech 24 " " " N 15 1/2 W 28 " "

Over 2^d. rate Land the first half mile rolling
 last level the timber same good farming Land

November 10th 1806

East On Random between Sec. 15 & 22

40.00 Set temp. q. Sec. post

79.50 Intersected the N. & S. line 100 lbs. S. of post.
 over rolling Land 2^d. rate timber same
 middling farming Land

West Connected between Sec. 15 & 22.

39.75 Set q. Sec. post, at average dist. from which

a Beech 18 in. dia. bears S 21 1/2 W 12 lbs. dist. 8

a No. 10 " " " N 6 3 E — " "

79.50 to Section Corner

North Between Sec. 15 & 16

19.43 a Beech 15 in. dia.

40.00 a Creek 15 lbs. wide Course S. W. now dry

40.00 Set q. Sec. post, from which

a W. Walnut 12 in. dia. bears N 48 1/2 W 10 lbs. dist. 8

a Beech 20 " " " S 9 E 38 " "

60.00 a No. 15 " "

5th R9 E. 2nd Mer. Indiana

ch. 1/4

75.00 a Small Stream of water Course W.

80.00 Set post Cor. to Sect. 9, 10, 15 & 16, from which
a Beech 12 in. dia. bears N 68 1/2° W 15 lbs. dist. &

a No. 10 " " " S 26 1/2° E 13 " "

Over rolling Land 2nd rate timber same good
farming Land

East On Random between Sect. 10 & 15

40.00 Set temp. q. Sec. post.

78.71 Intersected the N. & S. line at the post
over level land 2nd rate the principal timber is
Beech Poplar Gum Hickory &c. not very good
farming Land -

West Connected between Sect. 10 & 15.

39.35 Set q. Sec. post, at average dist. from which
a Beech 18 in. dia. bears N 71° E 27 lbs. dist. &
a No. 11 " " " S 22 1/2° W 18 " "

78.71 to Section Corner

North Between Sect. 9 & 10

20.00 to a bend in a Creek 50 lbs. wide Course S. W.

26.62 a Poplar 148 in. dia.

40.00 a Blk. Beech 3 in. " for q. Sec. Cor. from which
an Elm 10 in. dia. bears N 85° W 15 lbs. dist. &
a Sugar 12 " " " N 5° E 36 " "

42.00 a Creek 50 lbs. wide Course S. W.

60.95 a Beech 6 in. dia.

68.00 a Small Stream of water Course E.

80.00 Set post Cor. to Sect. 3, 4, 9 & 10, from which
a Sugar 12 in. dia. bears S 61 1/2° W 17 lbs. dist. &
a Beech 12 " " " N 75° E 22 " "
Over rolling Land 2nd rate timber Beech
Sugar principally good farming Land

East On Random between Sect. 3 & 10.

24

S. N. R. G. Co. 2^d. Mer. Indiana

ch. l. l. l.

10.00 a Creek 50 lks. wide course S. W.

40.00 Set temp. y. q. Sec. post.

50.00 a dry Creek 15 lks. wide Course S. W.

78.54 Intersected N. & S. line 44 lks. S. of post
Over level Land 2nd rate the principal timber
Beech, Poplar, Sugar, &c. good farming Land

West Corrected between Sect. 3 & 10

39.27 Set q. Sec. post, at average dist. from which
a Beech 10 in. dia. bears S 25 E 3 lks. dist. &

a No. 12 " " " N 25 W 14 " "

78.54 to Section

North Between Sect. 32 & 33.

30.79 a Beech 24 in. dia.

40.00 Set q. Sec. post, from which

a Beech 10 in. dia. bears S 58 E 9 lks. dist. &

a No. 9 " " " N 38 E 13 " "

60.42 a Beech 12 " "

80.00 Set post Cor. to Sect. 28, 29, 32 & 33, from which

a Beech 15 in. dia. bears S 55 W 14 lks. dist. &

a Poplar 24 " " " N 49 E 22 " "

Land 2nd rate rolling timber Beech, Some
Gum, Oak, Ash, Poplar, Sugar &c. undergrowth
Spice Beech and some green briars muddling
farming Land

East On Prandon between Sect. 28 & 33

40.00 Set temp. y. q. Sec. post.

50.00 a Creek 100 lks. wide Course S. W. rapid current

79.41 Intersected the N. & S. line 5 lks. N. of post

Land rolling timber as on the last mile

West Corrected between Sect. 28 & 33.

39.78 Set q. Sec. post, at average dist. from which

a Sugar 15 in. dia. bears S 73 E 18 lks. dist.

S. N. R. G. 2nd Mer. Indiana 25

ch. l. l. h.

a Beech 15 in. dia. bears N 58 W 9 lks. dist. &
79.41 to Section Corner

North Between Sect. 28 & 29.

32.29 a Beech 24 in. dia.

40.00 Set q. Sec. post, from which

a Maple 18 in. dia. bears N 27 W 14 lks. dist. &

a No. 15 " " " S 46 E 6 " "

61.48 a Beech 12 " "

80.00 Set post Cor. to Sect. 20, 21, 28 & 29, from which

an Elm 13 in. dia. bears N 60 E 15 lks. dist. &

a Beech 24 " " " S 61 W 40 " "

over flat level land 2nd rate timber Beech, Oak,
Maple Gum &c. not very good farming Land

East On Pradom between Sect. 21 & 28.

40.00 Set temp. q. Sec. post.

70.00 a Creek 100 lks. wide Course S. W.

79.35 Intersected the N. & S. line 43 lks. N. of post
first half mile the Land & timber the same
the last half rolling good farming Land

West Corrected between Sect. 21 & 28

39.67 Set q. Sec. post. at average dist. from which

a Beech 12 in. dia. bears N 59 W 8 lks. dist. &

a No. 18 " " " S 37 W 24 " "

79.36 to Section Corner

North Between Sect. 20 & 21

21.82 a Beech 14 in. dia.

40.00 Set q. Sec. post, from which

a Gum 20 in. dia. bears South 9 lks. dist. &

a Beech 24 " " " N 7 W 26 " "

61.47 a No. 8 " "

80.00 Set post Cor. to Sect. 16, 17, 20 & 21, from which

a Gum 10 in. dia. bears S 34 W 20 lks. dist. &

26

S. N. 1896. 2nd Mer. Indianach. 1st

a Gum 12 in. dia. bears N 87 W 3 lbs. dist. &
Land and timber same not good farming Land

East On Random between Sec. 16 & 21.

40.00 Set temp. q. Sec. post.

63.00 a creek 50 lbs. wide Course South

78.79 Intersected the N. & S. line 37 lbs. N. of post
over rolling 2nd rate Land timber Beech Poplar
Gum &c. middling farming land.

West Corrected between Sec. 16 & 21

39.39 Set q. Sec. post, at average dist. from which
a Beech 10 in. dia. bears N 48 E 13 lbs. dist. &
a No. 24 " " " South 18 " "

78.79 to Section Corner

November 12th 1816. var. 5.40' E.

North Between Sec. 16 & 17

19.26 a W. Oak 12 in. dia.

40.00 Set q. Sec. post, from which
a Beech 20 in. dia. bears N 36 W 13 lbs. dist. &
a No. 12 " " " S 85 W 37 " "

59.52 a Beech 18 " "

81.00 Set post Cor. to Sec. 8, 9, 16 & 17, from which
a Poplar 36 in. dia. bears S 23 E 58 lbs. dist. &
a Beech 15 " " " N 22 1/2 E 3 " "
over flat Land 2nd rate timber same not very good
farming Land

East On Random between Sec. 9 & 16

40.00 Set temp. q. Sec. post

73.00 a Creek 50 lbs. wide Course South

79.89 Intersected the N. & S. line 43 lbs. N. of post
The first half mile Land and timber the same the
last half rolling good soil timber Beech Poplar
Ash Sugar &c. undergrowth Spice

ch. 2. lks
S. N. R. G. E. 2.^d Mer. Indiana 27
Good farming Land

West Corrected between Sec. 9 & 16.

39.94 Set q^r. Sec. post at average dist. from which
a S. Gum 16 mi. dist. by way S 39 1/2 E 10 lks. dist. of
a Maple 18 " " " N 63 1/2 W 5 " "
79.89 to Sec. Corner.

North Between Sec. 8 & 9 var. 5° 30' E.

24.05 at Beech 10 mi. dist.

40.00 Set q^r. Sec. post, from which
at Beech 20 mi. dist. by way S 82 W 14 lks. dist. of
a Do. 18 " " " N 43 E 23 " "

61.05 a Beech 12 " "

80.00 Set post Cor. to Sec. 4, 5, 8 & 9, from which
a S. Gum 13 mi. dist. by way S 66 E 31 lks. dist. of
a Beech 20 " " " S 77 W 10 " "
Over rolling 2^d rate land, timber Beech,
Poplar, Oak, Gum, Ash &c. Some Spruce
underg^d. good farming land

East On Rand^m. between Sec. 4 & 9

40.00 Set temp^t. q^r. Sec. post

80.13 Intersected the N of S. line 26 lks. N. of post
Over level land, timber Beech, Oak, Gum, Ash
Poplar &c. Some Spruce undg^d. good farming land

West Corrected between Sec. 4 & 9

40.06 Set q^r. Sec. post, at average dist. from which
a Beech 5 mi. dist. by way N 77 E 6 lks. dist. of
a S. Gum 18 " " " S 2 E 13 " "

80.12 to Sec. Corner.

North Between Sec. 3 & 4

30.58 a Beech 12 mi. dist.

40.00 Set q^r. Sec. post, from which

T5 N - R9 E. 2nd Mer. Indiana

ch^o. 1st m.
 a Beech 15 m. dia. - bray N 70 E 10 m. dist. of
 an Elm 18 " " " N 42 W 20 " "
 67.00 a Beech 4 " "
 83.50 Intersected the N. boundary 277 m. E. of post
 let post Cor. to Sec. 3 of 4, from which
 a Beech 24 m. dia. - bray S 24 W 5 m. dist. of
 a do. 20 " " " North 25 " "
 Over rolling 2nd rate land, the principal
 timber is Beech, Poplar, Gum &c.
 good farming land.

North Between Sec. 4 & 5

25.00 a dry branch 10 m. wide Course W.
 26.62 a Dogwood 5 m. dia.
 40.00 let of Sec. post, from which
 a Beech 12 m. dia. - bray N 70 W 10 m. dist. of
 a do. 12 " " " N 19 W 19 " "
 66.60 a Beech 6 " "
 81.40 Intersected N. boundary 328 m. East of post
 let post Cor. to Sec. 4 & 5, from which
 a Beech 18 m. dia. - bray N 54 E 17 m. dist. of
 a do. 13 " " " S 21 E 15 " "
 Over level land 2nd rate, timber same
 middling farming land.

November 13th 1876

North Between Sec. 31 & 32

22.70 a Beech 11 m. dia.
 40.00 let of Sec. post, from which
 a W. Oak 18 m. dia. - bray S 47 E 25 m. dist. of
 a do. 24 " " " N 4 E 3 " "
 69.50 a Beech 11 " "
 77.00 a dry Brook 10 m. wide Course W.
 80.00 let post Cor. to Sec. 29, 30, 31 & 32, from which
 a Beech 11 m. dia. - bray S 40 E 7 m. dist. of
 a do. 7 " " " N 28 W 26 " "

5th Rge, 2^d. Mer. Indiana ²⁹
 ch. P. 1st

Over rolling 2^d. rate land, timber Oak, Beech,
 Poplar, Gum, Ash &c. some Spruce underg.
 Middling farming land

East On Ranges Between Sec. 29 & 32

- 1.50 a dry Brook 10 lms. wide Comes W.
 40.00 Set temp^y. q^r. Sec. post
 79.87 Intersected the N & S. line 24 lms. N. of post
 Sand timber &c. Same as on the last mile

West Corrected between Sec. 29 & 32

- 39.93¹/₂ q^r. Sec. post at average dist. from which
 at Beech 6 mi. dist. bear S 82 E 20 lms. dist. of
 a do. 6 " " " S 30 W 16 " "
 79.87 to Sec. Corner.

West Between Sec. 30 & 31

- 26.00 a creek 30 lms. wide Cr. W. thence down the
 Creek 7.00 lms. which bear off N.W.
 40.00 Set q^r. Sec. post, from which
 at Beech 18 mi. dist. bear S 70 W 46 lms. dist. of
 an Elm 12 " " " N 41 E 63 " "
 *this post stands in a Creek 40 lms. wide Cr. S.W.
 65.89 at Beech 12 mi. dist.
 78.50 Intersected W. boundary 109 lms. S. of post
 Set post Cor. to Sec. 30 & 31, from which
 at Beech 15 mi. dist. bear S 18 E 5 lms. dist. of
 a do. 8 " " " N 79 W 30 " "
 Over rolling land 2^d. rate, timber same,
 good farming land.

North Between Sec. 29 & 30

- 20.92 at Beech 12 mi. dist.
 40.00 Set q^r. Sec. post, from which
 at Beech 15 mi. dist. bear S 39 W 16 lms. dist. of
 a do. 9 " " " N 5 E 30 " "

T5 N- R9 E. 2^d. Mer. Indianach^d. lth

62.59 a Beech 30 in. diam.

78.00 a Creek 40 lth. wide Course S. W.80.00 Let post Cor. to Sec^s. 19, 20, 29, 30, from which
a Beech 13 in. diam. bear N 85 E 12 lth. dist. of
a do. 18 " " " N 46 E 46 " "Over uneven 2^d. rate land, the principal timb.
is Beech, Sugar, (middling farming land)East On Rand^m. between Sec^s. 20 & 291.50 a Creek 30 lth. wide Course S. W.40.00 Let stump^d. of Sec. post79.80 Intersected the N. & S. line 19 lth. N. of post
Low level land, timber Beech, Gum, Oak
Poplar &c. (not very good farming land)West Corrected between Sec^s. 20 & 2939.90 Let of Sec. post at average dist. from which
a Beech 12 in. diam. bear N 45 E 6 lth. dist. of
a Sugar 12 " " " N 7 W 13 " "79.80 to Sec. Corner Nov. 15th 1806West Between Sec^s. 19 & 30

21.03 a S. Gum 10 in. diam.

40.00 Let of Sec. post, from which
a Beech 12 in. diam. bear S 84 E 20 lth. dist. of
a do. 12 " " " N 11 W 25 " "55.00 a Brook 8 lth. wide Course S. W.

64.32 a Beech 15 in. diam.

78.03 Intersected W. boundary 80 lth. S. of post
Let post Cor. to Sec^s. 19 & 30, from which
a Beech 6 in. diam. bear S 23 E 15 lth. dist. of
a do. 14 " " " N 47 W 14 " "The 1st 1/2 mile level land, last 1/2 broken, the
principal timber is Beech, some Poplar, Oak
Gum &c. and g^d. Spruce, (middling farming land)

31

To N. R. G. 2^d. Mer. Indiana

ch. 2^d 1/2

North Between Sec. 19 & 20

24.18 a Beech 8 in. dia.

40.00 Set q^r. Sec. post, from which
a Beech 13 in. dia. by N 11 1/4 W 14 1/2 ths. dist. of
a do. 15 " " " N 87 1/2 E 21 " "

59.79 a Beech 10 " "

80.00 Set post Cor. to Sec. 17, 18, 19 & 20, from which
a Beech 10 in. dia. by N 35 E 24 1/2 ths. dist. of
a do. 12 " " " N 43 W 5 " "

Over rolling 2^d rate land, timber principally
Beech, W. Oak, Gum &c. (not much underg^r.
good farming land

East On Randm. between Sec. 17 & 20

39.50 a Brook 10 ths. wide Course S.

40.00 Set temp^t. q^r. Sec. post

79.94 Intersected N of S. line 57 ths. N. of post
Over level 2^d rate land, timber same
good farming land

West Corrected between Sec. 17 & 20

39.97 Set q^r. Sec. post at average dist. from which
a Beech 17 in. dia. by N 8 E 9 1/2 ths. dist. of
a do. 20 " " " N 12 W 49 " "

79.94 to Sec. Corner

West Between Sec. 18 & 19

35.21 a Beech 10 in. dia.

40.00 Set q^r. Sec. post, from which
a Beech 4 in. dia. by S 9 1/4 W 14 1/2 ths. dist. of
a do. 6 " " " N 72 1/2 E 6 " "

41.00 a Creek 40 ths. wide wide Course S. W.

77.33 Intersected the W. Boundary 78 ths. S. of post
Set post Cor. to Sec. 18 & 19, from which
a Beech 24 in. dia. by N 22 E 15 1/2 ths. dist. of
a Sugar 11 " " " N 85 1/2 E 39 " "

St. N. 129 E. 2nd Mer. Indiana
ch. 1st 1844

Over rolling land 2nd rate, timber Beech
Sugar, Poplar, Gum &c. undergth. Spice
good farming land

North Between Sec. 17 & 18

11.00 a Brook 10th m. wide Course S. W.

19.79 a Hickory 15 m. dist.

35.00 a Brook 10th m. wide Course S. W.

40.00 Set of Sec. post, from which
a Beech 5 m. dist. by N 27 E 15th m. dist. of
a Co. 15 " " " N 60 W 30 " "

60.86 a Beech 10 " "

80.00 Set post Cor. to Sec. 7, 8, 17 & 18, from which
a Beech 15 m. dist. by N 44 E 13th m. dist. of
a Co. 12 " " " N 52 W 43 " "
Land timber &c. same as on the last mile

East On Rand^m. between Sec. 8 & 17

40.00 Set temp. of Sec. post

73.00 a dry brook 10th m. wide Course N. W.

79.46 Intersected the N & S. line 37th m. N. of post
Over handsome land rather rolling, the prin-
cipal timber is Beech & Sugar, undergth.
Spice, good farming land

West Cor. bet. between Sec. 8 & 17

39.73 Set of Sec. post at average dist. from which
a Beech 18 m. dist. by N 44 E 15th m. dist. of
a Co. 6 " " " N 44 E 2 " "

79.46 to Sec. Corner Nov. 16th 1806

West Between Sec. 7 & 18

10.00 a Creek 30th m. wide Course S. W.

20.28 a Blue Ash 18 m. dist.

40.00 Set of Sec. post, from which
a Beech 5 m. dist. by N 77 W 2th m. dist. of

33

T5 N 129 E. 2nd Mer. Indiana

ch. l. l. k.

a Beech 13 mi. dist. from 17 E 59 l. k. dist. of
 59.35 a W. Oak 20 " " "
 76.18 Intersected the N. boundary exactly at
 the post. Over level 2nd rate land, the
 principal timber is Beech, Poplar, W. Oak
 Hickory &c. and good farming land

North Between Sec. 7 & 8

12.30 a Creek 30 l. k. wide Course S. W.

19.55 a W. Oak 18 mi. dist.

40.00 Set of Sec. post, from which
 a Beech 11 mi. dist. from 14 E 26 l. k. dist. of
 a Do. 10 " " " S 50 W 13 " "

60.68 a W. Oak 20 " "

80.00 Set post Cor. to Sec. 5, 6, 7 & 8, from which
 a Beech 8 mi. dist. from 16 E 2 l. k. dist. of
 a Do 7 " " " N 61 W 19 " "

Flat level land, the principal timber is
 Beech & W. Oak, some Gum, ash, Poplar
 &c. good farming land.

East On Land 9th Between Sec. 5 & 8

22.50 a Creek 20 l. k. wide Course S. W.

40.00 Set of Sec. post

78.44 Intersected the N. of S. line 22 l. k. N. of post
 Good timber &c. same as on the last mil

West Connected between Sec. 5 & 8

39.22 Set of Sec. post at average dist. from which
 a W. Oak 10 mi. dist. from N 5 E 12 l. k. dist. of
 a Beech 10 " " " S - E - " "

78.44 to Sec. Corner.

West Connected between Sec. 6 & 7

21.78 a Beech 20 mi. dist.

40.00 Set of Sec. post, from which

T⁵N R⁹E. 2^d Mer. IndianaCh¹ 1/4

a Beech 12 mi. dist. bearing N 47 1/2 W 33 km. dist. of
 a Do. 5 " " " " S 61 1/2 E 17 " "
 62.28 a Sugar 10 " "
 75.61 intersected the N. boundary 32 km. N. of post
 let post Cor. to Sec. 5 & 6, from which
 a Beech 18 mi. dist. bearing S 43 E 34 km. dist. of
 a Sugar 15 " " " " N 11 W 36 " "
 Land timber &c. Same as on last mile

North Between Sec. 5 & 6

26.03 a Beech 7 mi. dist.

40.00 let of Sec. post, from which
 a W. Oak 20 mi. dist. bearing S 39 W 13 km. dist. of
 a Beech 10 " " " " N 47 E 20 " "

63.62 a Beech 11 " "

79.11 intersected the N. boundary 548 km. E. of post
 let post Cor. to Sec. 5 & 6, from which
 a Beech 10 mi. dist. bearing S 48 W 51 km. dist. of
 a Do. 12 " " " " S 86 E 22 " "

Land timber &c. Same as on the last mile
 This Township was surveyed with the
 variation of 5° 30' East.

Surveyed in 1806 by

James Lipson,

Deputy Surveyor

I certify that the foregoing transcript of field notes
 of Township N. 5. N. Range N. 9 East 2^d Mer. Ind.^a
 has been compared with the original notes in this
 Office, and found to be correct.

Surveyor General's Office

Cincinnati, Oct. 19, 1842

William Johnston
 Sur. Genl.